INVITATION TO BID

CITY OF BATON ROUGE PARISH OF EAST BATON ROUGE PURCHASING DIVISION

RESPONSES MUST BE RECEIVED BY: 07/30/21 11:00 AM CST

| | | | 11:00 AM CSI | | |
|---|--------------------|--------------------------|--|--|--|
| TITLE: M7398 EXERCISE E | EQUIPMENT | | TURN BID TO: HASING DIVISION | | |
| FILE NO: 21-07398 REQ N AD DATES: 07/14/21 & 07/ | | PO Box 1471 | Physical Address: 222 St. Louis Street 0821 8 th Floor Room 826 Baton Rouge, LA 70802 | | |
| SHIP TO ADDRESS: | | Contact I | Regarding Inquiries: | | |
| Police - Training | | Purchasing Analys | | | |
| 9000 Airline Highwa | v | | : 225-389-3259 x 312 | | |
| Baton Rouge, LA 7 | | Email: | dsstewart@brla.gov | | |
| VENDOR NAME | | MAILING ADDRESS | | | |
| REMIT TO ADDRESS | | CITY, STATE, ZIP | | | |
| TELEPHONE NO. | FAX NO. | E-MAIL | | | |
| FEDERAL TAX ID OR NUMBER | SOCIAL SECURITY | TITLE | | | |
| AUTHORIZED SIGNATURE | | PRINTED NAME | | | |
| QUESTIONS TO BE COMP | LETED BY VENDOR: | | | | |
| 1 STATE D | ELIVERY DAYS MAXIM | UM AFTER RECEIPT | OF ORDER | | |
| 2 % discount for payment made within 30 days. Discount for payment m less than 30 days, or less than 1%, or applicable to an indefinite quantity c will be accepted but not an award consideration. | | | | | |
| 3. STATE E | NUMERATED ADDEND | A RECEIVED (IF ANY) | | | |

F.O.B.: DESTINATION - PAYMENT TERMS: NET 30 ALL BLANKS ON THIS PAGE SHOULD BE COMPLETED TO AVOID REJECTION OF BID

The signature on this document certifies that proposer has carefully examined the instructions to bidders, terms and specifications applicable to, and made a part of this solicitation. By submission of this document, proposer further certifies that the prices shown are in full compliance with the conditions, terms and specifications of this solicitation. Bids must be signed in the designated space above by a person authorized to sign for the bidder.

No alterations, changes or additions are allowed on this solicitation, and no additional information, clarifications or other documents are to be included unless specifically required by the specification. Any errors in extensions of prices will be resolved in favor of unit prices submitted.

If services are to be performed in East Baton Rouge City-Parish, evidence of a current occupational license and/or permit issued by the City-Parish shall be supplied by the successful vendor, if applicable.

1

INSTRUCTIONS TO BIDDERS / TERMS & CONDITIONS - SEALED BIDS

Bidders are urged to promptly review the requirements of this specification and submit questions for resolution as early as possible during the bid period. Questions or concerns must be submitted in writing to the purchasing division during the bid period. Otherwise, this will be construed as acceptance by the bidders that the intent of the specifications is clear and that competitive bids may be obtained as specified herein. Protests with regard to the specification documents will not be considered after bids are opened.

- 1. Read the entire bid. including all terms and conditions and specifications.
- Bids are mailed only as a courtesy. The City Parish does not assume responsibility for failure of bidders to receive bids. Bidders should rely only on advertisements in the local newspaper, and should personally pick up bids and specifications. Full information may be obtained, or any questions answered, by contacting the Purchasing Division, 222 Saint Louis Street, 8th Floor, Room 826, Baton Rouge, LA 70802 or by calling (225) 389-3259.
- 3. The bid number, bidder's name, address and bid opening date should be clearly printed or typed on the outside of the bid envelope. Only one bid will be accepted from each bidder for the same job. Alternates will not be accepted unless specifically requested in the proposal. Submission of more than one bid or alternates not requested may be grounds for rejection of all bids by the bidder.
- 4. The method of delivery of bids is the responsibility of the bidder. All bids must be received by the Purchasing Division on or before the specified bid opening date and time. Late bids will not be considered under any circumstances.
- 5. Failure to deliver within the time specified in the bid will constitute a default and may cause cancellation of the contract. Where the city has determined the contractor to be in default, the city reserves right to purchase any or all products or services covered by the contract on the open market and to charge the contractor with cost in excess of the contract price. Until such assessed charges have been paid, no subsequent bid from the defaulting contractor will be considered.
- 6. The City Parish specifically reserves the right to evaluate bids and award items separately, grouped or on an all or none basis, to accept the bid which is in the best interest of the City parish, and to reject all proposals if that is in the best interest of the City Parish.
- 7. Except for bids submitted through the www.bidexpress.com on-line bidding site, bids shall be accepted only on bid forms furnished by the City of Baton Rouge and Parish of East Baton Rouge Purchasing Division. Altered or incomplete bids (including non-acknowledgement of addenda issued, if any), or the use of substitute forms or documents, shall render the bid non-responsive and subject to rejection.
- 8. All bids must be typed or written in ink. Any erasures, strikeover and/or changes to prices should be initialed by the bidder. Failure to initial may be cause for rejection of the bid as non-responsive.
- 9. All bids must be manually signed by a properly authorized party. Failure to do so shall cause the bid to be rejected as non-responsive.
- 10. Where one or more vendor's exact products or typical workmanship is designated as the level of quality desired or equivalent, the Purchasing Division reserves the right to determine the acceptability of any equivalent offered.
- 11. Detailed factory specifications, illustrative literature and any deviations should be submitted with bid as required by the specifications or on the bid form. Representative samples shall be submitted upon request, if appropriate. Bidders proposing an equivalent brand or model should submit with the bid information (such as illustrations, descriptive literature, and technical data) sufficient for the City to evaluate quality, suitability, and compliance with the specifications in the solicitation.

- 12. Written addenda issued prior to bid opening which modifies the bid shall become a part of the bid, and shall be incorporated within the purchase order and/or contract. Only a written interpretation or correction by Addendum shall be binding. Bidders shall not rely upon any interpretation or correction given by any other method. Failure to acknowledge receipt of addenda (if any) shall render the bid non-responsive and subject to rejection.
- 13. For Printing solicitations, artwork, dies and/or molds shall become the property of the City Parish Government and must be returned to the Purchasing Division, 222 Saint Louis Street, 8th Floor, Room 826, Baton Rouge, LA 70802, upon completion of the order.
- 14. All applicable chemicals, herbicides, pesticides and hazardous materials must be registered for sale in Louisiana by the Department of Agriculture, State of Louisiana, registered with the EPA and must meet all requirements of Louisiana State Laws. Bidders must submit product label, material safety data sheet and EPA registry number with bid. This information will be required on any subsequent deliveries if there is a change in chemical content or a different product is being supplied. Failure to submit this data may be cause for the bid to be rejected or the contract canceled.
- 15. Delivery of items must be made on time to City Parish final destinations within East Baton Rouge Parish. All freight charges shall be prepaid by vendor. Late deliveries or unsatisfactory performance may be cause to cancel the Purchase Order or contract.
- 16. The State of Louisiana Code of Governmental Ethics places restrictions on awarding contracts or purchase orders to persons who are employed by any agency of the City Parish Government, or any business of which he or his spouse has more than a twenty-five percent (25%) interest. The Code also prescribes other restrictions against conflict of interest and establishes guidelines to assure that appropriate ethical standards are followed. If any question exists regarding potential violation of the Code of Ethics, bidders should contact the Purchasing Division prior to submission of the bid. Any violation of the Code of Ethics shall be grounds for disqualification of bid or cancellation of contract.
- 17. All Prices bid shall remain in effect for a period of at least sixty (60) days. City Parish purchases are excluded from state and local taxes.
- 18. Acceptance of award by vendor, either in writing or by shipment of any article described herein, shall effectuate a contract between City Parish and vendor for the materials described herein, and no additional conditions or amendments shall have any effect unless approved in writing by City Parish.
- 19. Bidders may attend the bid opening, but no information or opinions concerning the ultimate contract award will be given at the bid opening or during the evaluation process. Information pertaining to completed files may be secured by visiting the EBR City Parish Purchasing office during normal working hours.
- 20. The City Parish is an equal opportunity employer, and does not discriminate against anyone on the basis of race, sex, creed, color, religion, national origin, ancestry, reprisal, disability, sexual orientation, marital status or political affiliation.
- 21. In accordance with Louisiana Revised Statutes, a preference may be allowed for equivalent products produced, manufactured or grown in Louisiana and/or firms doing business in the State of Louisiana. Do you claim this preference if allowed? YES _____ NO____. If this preference is claimed, attach substantiating information to the proposal to show the basis for the claim.
- 22. Right To Audit Clause: The Contractor shall permit the authorized representative of the City-Parish to periodically inspect and audit all data and records of the Contractor relating to his performance under this contract.

- 23. Terms and Conditions: This solicitation contains all terms and conditions with respect to the purchase of the goods and/or services specified herein. Submittal of any contrary terms and conditions may cause your bid to be rejected. By signing and submitting a bid, vendor agrees that contrary terms and conditions which may be included in their bid are nullified; and agrees that this contract shall be construed in accordance with this solicitation and governed by the laws of the State of Louisiana as required by Louisiana Law.
- 24. In accordance with the provisions of LA. R.S. 38:2212.9, in awarding contracts after August 15, 2010, any public entity is authorized to reject the lowest bid from, or not award the contract to, a business in which any individual with an ownership interest of five percent or more has been convicted of, or has entered a plea of guilty or *Nolo Contendere* to any state felony crime or equivalent federal felony crime committed in the solicitation or execution of a contract or bid awarded under the laws governing public contracts under the provisions of Chapter 10 of this Title, professional, personal, consulting, and social services procurement under the provisions of Chapter 16 of Title 39 of the Louisiana Revised Statutes of 1950, or the Louisiana Procurement Code under the provisions of Chapter 17 of Title 39 of the Louisiana Revised Statutes of 1950.
- 25. Certification of no suspension or debarment. By signing and submitting any bid for \$25,000 or more, the bidder certifies that their company, any subcontractors, or principals are not suspended or debarred by the general services administration (GSA) in "Audit Requirements In subpart F of the Office of Management and Budget's uniform administrative requirements, cost principles, and audit requirements for federal awards" (Formerly OMB circular a-133).

A list of parties who have been suspended or debarred can be viewed via the internet at http://www.sam.gov.

- 26. Bid prices shall include delivery of all items F.O.B. destination or as otherwise provided. Bids containing "Payment in Advance" or "C.O.D. requirements may be rejected. Payment is to be made within 30 days after receipt of properly executed invoice or delivery, whichever is later.
- 27. Bidders may attend the bid opening, but no information or opinions concerning the ultimate contract award will be given at the bid opening or during the evaluation process. Bids may be examined within 72 hours after bid opening. Information pertaining to completed files may be secured by visiting the Purchasing Division during normal working hours. Written bid tabulations may be accessed at: http://city.brla.gov/dept/purchase/bidresults.asp.
- 28. Contractor agrees, upon receipt of written notice of a claim of a claim or action, to defend the claim or action, or take other appropriate measure, to indemnify, and hold harmless, the city, its agents and employees from and against all claims and actions for bodily injury, death or property damages caused by fault of the contractor, its officers, its agents, or its employees. Contractor is obligated to indemnify only to the extent of the fault of the contractor, its officers, its agents, or its employees, however the contractor shall have no obligation as set forth with respect to any claim or action from bodily injury, death or property damages arising out of the fault of the City, its officers, its agents, or its employees.
- 29. In accordance with Louisiana Law (R.S. 12:262.1 and 12:1308.2), all corporations and limited liability companies must be in good standing with the Louisiana Secretary of State at the time of execution of the contract.
- 30. Vendors submitting signed bids agree to EEOC compliance and certify that they agree to adhere to the mandates dictated by Title VI and VII of the Civil Right Act of 1964, as amended by the Equal Opportunity Act of 1972, Federal Executive Order 11246, the Federal Rehabilitation Act of 1973, as amended, the Vietnam Era Veteran's Readjustment Assistance Act of 1974, Title IX of the Education Amendments of 1972, the Age Act of 1975, and agrees to abide by the requirements of the Americans with Disabilities Act of 1990.

Bidders must agree to keep informed of and comply with all federal, state and local laws, ordinances and regulations which affect their employees or prospective employees.

31. The City of Baton Rouge, Parish of East Baton Rouge launched a new Enterprise Resource Planning (ERP) system, Vendor Self Service (VSS) via Munis. VSS replaced the legacy vendor database and will be used by all departments and agencies citywide.

Vendor Self-Service (VSS) enables vendors to register and maintain information about their organization for the purpose of doing business with City-Parish and receive notifications of business opportunities. The City-Parish procurement activities are subject to the State of Louisiana Public Bid Law, local city-parish ordinances as well as applicable federal statutes as directed by grant providers. Vendors must be registered to receive bid notifications.

New vendors or existing vendors who need to create a VSS account can do so clicking the Registration link at https://brla.gov/vss. Vendors are encouraged to review the step by step https://www.brla.gov/DocumentCenter/View/4899/Vendor-Self-Service-Registration-Guide-PDF before beginning the registration process which may be assessed at https://www.brla.gov/DocumentCenter/View/4899/Vendor-Self-Service-Registration-Guide-PDF to the step by step https://www.brla.gov/DocumentCenter/View/4899/Vendor-Self-Service-Registration-Guide-PDF to the step by step https://www.brla.gov/DocumentCenter/View/4899/Vendor-Self-Service-Registration-Guide-PDF to the step of the

Additional information regarding how to do business with EBR City-Parish is available at: https://www.brla.gov/DocumentCenter/View/678.

We also post our scheduled bid openings, as well as unofficial bid tabulations after the bids have opened at http://city.brla.gov/dept/purchase/bids.asp.

Note: Commodity codes are required for setting up your profile. These numbers tell us what commodities and services that you can provide. When agencies request products or services, our buyers pull directly from these numbers to send out solicitations, bids, and quotes. The first 3 numbers are the class numbers; the subclasses are two digit numbers that better describe the commodity or service. For questions regarding commodity codes, please contact purchasing at (225) 389-3259 Ext 0.

Important! - A W-9 Form is required in order to do business with City-Parish. Part of the online enrollment process requires you to upload a completed W-9 form. Please have the completed form in an electronic format so that you can submit it as part of the registration process. The W-9 form can be downloaded from the IRS website. We have created step by step directions on how to properly complete the W-9 Form.

FEDERAL CLAUSES, IF APPLICABLE

I. Remedies for Breach

Bidder acknowledges that contracts in excess of the simplified purchase threshold (\$150,000.00) shall contain provisions allowing for administrative, contractual, or legal remedies for contractor breaches of the contract terms, and shall provide for such remedial actions as appropriate.

II. Termination and Settlement

Bidder acknowledges that contracts in excess of \$10,000.00 shall contain termination provisions including the manner in which termination shall be effected and the basis for settlement. In addition, such provisions shall describe conditions for termination due to fault and for termination due to circumstances outside of the contractors' control.

III. Access to Records

Bidder acknowledges that all contracts (except those for less than the small purchase threshold) shall include provisions authorizing the recipient, US Funding Agency, the Comptroller General, or any of their duly authorized representatives access to all books, documents, papers, and records of the contractor which are directly pertinent to a specific program for the purpose of making audits, examinations, excerpts, and transcriptions.

IV. Equal Employment Opportunity

Bidder acknowledges that all contracts shall contain provisions requiring compliance with

E.O. 11246, "Equal Employment Opportunity," as amended by E.O. 11375, "Amending Executive Order 11236 Relating to Equal Employment Opportunity," and as supplemented by regulations at 41 CFR part 60, "Office of Federal Contract Compliance Programs, Equal Employment Opportunity, Dept. of Labor.

V. Copeland "Anti-Kickback" Act

Bidder acknowledges that all construction/repair contracts and sub-grants in excess of \$2,000 shall include provisions requiring compliance with the Copeland "Anti-kickback" Act (18 U.S.C. §3141-3148), which provides that each contractor or sub-recipient shall be prohibited from inducing any person employed in the construction, completion, or repair of public work, to give up any part of the entitled.

VI. Davis-Bacon Act

Bidder acknowledges that all construction contracts in excess of \$2,000 shall include a provision for compliance with the Davis-Bacon Act, which requires contractors to pay laborers and mechanics wages at a rate not less than the minimum wages specified in a wage determination made by the Secretary of Labor. Additionally, contractors shall be required to pay wages not less than once a week.

VII. Contract Work Hours and Safety Standards Act

Bidder acknowledges that all construction contracts in excess of \$2,000, and all other contracts involving the employment of mechanics or laborers in excess of \$2,500 shall include provisions for compliance with sections 102 and 107 of the Contract Work Hours and Safety Standards Act, which requires each contractor to compute the wages of every mechanic and laborer on the basis of a standard work week of 40 hours. Work in excess of the standard work week is permissible provided that the worker is compensated at a rate of not less than one and one-half times the basic rate of pay for all hours worked in excess of 40 hours. Section 107 is applicable to construction work and provides that no laborer or mechanic shall be required to work in surroundings or under working conditions that are unsanitary, hazardous, or dangerous.

VIII. Rights to Inventions Made Under a Contract or Agreement

Bidder acknowledges that contracts for the performance of experimental, developmental, or research work shall include provisions providing for the rights of the Federal Government and the recipient in any resulting invention in accordance with 37 CFR part 401, "Rights to Inventions Made by Nonprofit Organizations and the Small Business Firms Under Governments Grants, Contracts, and Cooperative Agreements"

IX. Clean Air Act

Bidder acknowledges that the Clean Air Act (CAA) is the comprehensive federal law regulating air emissions from stationary and mobile sources. Among other things, this law authorizes EPA to establish National Ambient Air Quality Standards (NAAQS) to protect public health and public welfare and to regulate emissions of hazardous air pollutants

X. Clean Water Act.

The contractor hereby agrees to adhere to the provisions which require compliance with all applicable Standards, orders, or requirements issued under section 508 of the clean water act which prohibits the use under non-exempt Federal contracts, grants or loans of facilities included on the EPA list of violating facilities

XI. Energy policy and conservation act

The contractor hereby recognizes the mandatory standards and policies relating to energy Efficiency which is contained in the state energy conservation plan issued in compliance with the energy policy and Conservation act (P.L. 94-163).

Bidders must agree to keep informed of and comply with all federal, state and local laws, ordinances and regulations which affect their employees or prospective employees.

7

INQUIRY PERIOD

An inquiry period is hereby firmly set for all interested bidders to perform a detailed review of the bid documents and to submit any written questions relative thereto. Without exception, all questions must be in writing and received **by 5:00 p.m. C.S.T. on July 22, 2021**. Inquiries shall not be entertained thereafter. Inquiries are to be directed as follows:

Hand Delivered or by Courier

Dexter Stewart, Purchasing Analyst City-Parish Purchasing Department 222 St. Louis Street, Room 826 Baton Rouge, LA 70802 **Delivery by United States Postal Services**

Dexter Stewart, Purchasing Analyst City-Parish Purchasing Department P. O. Box 1471 Baton Rouge, LA 70821

By email: dsstewart@brla.gov

The City-Parish shall not and cannot permit an open-ended inquiry period, as this creates an unwarranted delay in the procurement cycle and operations of our departments. The City-Parish reasonably expects and requires *responsible and interested* proposers to conduct their in-depth proposal review and submit inquiries in a timely manner.

An Addendum will be sent out no later than 3 days prior to the deadline for receiving quotes, for all questions submitted in writing by the close of the inquiry period.

8

PRICING

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| Specific | cations. | | | | Extended |
|----------|---|----------|------|-------|-----------|
| ITEM | DESCRIPTION | QUANTITY | UNIT | PRICE | Price |
| 0001 | INCLINE TRAINER (Freemotion i22.9 Model: TMTK74819 or Approved Equal) | 3 | EACH | \$ | \$ |
| 0002 | ELLIPTICAL TRAINER (Freemotion e10.9b Model: FMEL84418 or Approved Equal) | 2 | EACH | \$ | \$ |
| 0003 | RECUMBENT BIKE (Freemotion r10.9b Model: FMEX82518 or Approved Equal) | 1 | EACH | \$ | \$ |
| 0004 | EXERCISE BIKE (American Barbell Eagle Bike Model: EAB800 or Approved Equal) | 1 | EACH | \$ | \$ |
| 0005 | ROWER (Concept 2 Rower Model: 2712 or Approved Equal) | 1 | EACH | \$ | \$ |
| 0006 | DUAL CABLE CROSS MACHINE (Dual Cable Cross Machine Model: Genesis G624 or Approved Equal) | 1 | EACH | \$ | \$ |
| 0007 | CABLE COLUMN MACHINE (Cable Column Model: Genesis GZFM6016 or Approved Equal) | 1 | EACH | \$ | \$ |
| 8000 | CHEST PRESS MACHINE (Freemotion Epic Selectorized Chest Press Model: ES800 or Approved Equal) | 1 | EACH | \$ | \$ |
| 0009 | LEG EXTENSION MACHINE (Freemotion Epic Leg Extension Machine Model: ES801 or Approved Equal) | 1 | EACH | \$ | \$ |
| 0010 | LAT PULL DOWN/HIGH ROW MACHINE (Freemotion Epic Selectorized Lat Pulldown / High Row Machine Model: ES802 or Approved Equal) | 1 | EACH | \$ | \$ |

9

PRICING

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| ITEM | DESCRIPTION | QUANTITY | UNIT | PRICE | Extended Price |
|------|---|----------|------|-------|-------------------|
| 0011 | LEG PRESS MACHINE (Freemotion Epic Selectorized Leg Press Machine Model: ES804 or Approved Equal) | 1 | EACH | \$ | \$ |
| 0012 | DIP-CHIN ASSIST MACHINE (Freemotion Epic Selectorized Dip-Chin Assist Machine Model: ES812 or Approved Equal) | 1 | EACH | \$ | \$ |
| 0013 | LEG CURL MACHINE (Freemotion Epic Selectorized Leg Curl Machine Model: ES803 or Approved Equal) | 1 | EACH | \$ | \$ |
| 0014 | WEIGHT BENCH (Freemotion Adjustable Weight Bench Model: F203 or Approved Equal) | 4 | EACH | \$ | \$ |
| 0015 | DUMBBELL RACK (Freemotion Epic Free Weight Twin Tier Dumbbell Rack Model: F209 or Approved Equal) | 2 | EACH | \$ | \$ |
| 0016 | ABDOMINAL BENCH (Freemotion Epic Free Abdominal Bench Model: F213 or Approved Equal) | 1 | EACH | \$ | \$ |
| 0017 | RIG SUPPORT (Freemotion 14-foot Standard Rig Support Model: FMDY14W6D or Approved Equal) | 1 | EACH | \$ | \$ |
| 0018 | STEP TRAINING EQUIPMENT (American Barbell Plyo Stackable Rectangular Box Set or Approved Equal) | 1 | EACH | \$ | \$ |
| 0019 | TRAINING BAR (American Barbell 20 kg Training Bar Model: OB15-CH-IWF or Approved Equal) | 4 | EACH | \$ | \$ |
| 0020 | CURL BAR (American Barbell Revolving Solid Curl Bar Model: AT-RCB-E or Approved Equal) | 1 | EACH | \$ | \$ |
| 0021 | CURL BAR (American Barbell Stainless EZ Curl Gym Bar Model: OBZ-SS or Approved Equal) | 1 | EACH | \$ | \$ |
| 0022 | COLLARS (American Barbell Proloc Collar or Approved Equal) | 6 | EACH | \$ | \$ |

10

PRICING

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| ITEM | DESCRIPTION | QUANTITY | UNIT | PRICE | Extended Price |
|------|--|----------|------|-------|-------------------|
| 0023 | SLAM BALL SET (American Barbell Plyo Stackable Rectangular Box Set or Approved Equal) | 1 | EACH | \$ | \$ |
| 0024 | DUMBELLS SET (American Barbell Hex Dumbbell Model: DBHX2-5-PR or Approved Equal) | 1 | EACH | \$ | \$ |
| 0025 | KETTLEBELL SET (American Barbell Rubber Coated Kettlebell or Approved Equal) | 1 | EACH | \$ | \$ |
| 0026 | PLATE – 45 Pound (American Barbell Rubber Olympic Plates Model: OPAB4-10-PR or Approved Equal) | 12 | EACH | \$ | \$ |
| 0027 | PLATE – 25 Pound (American Barbell Rubber Olympic Plates Model: OPAB4-10-PR or Approved Equal) | 12 | EACH | \$ | \$ |
| 0028 | PLATE – 10 Pound (American Barbell Rubber Olympic Plates Model: OPAB4-10-PR or Approved Equal) | 12 | EACH | \$ | \$ |
| 0029 | PLATE – 5 Pound (American Barbell Rubber Olympic Plates Model: OPAB4-10-PR or Approved Equal) | 12 | EACH | \$ | \$ |
| 0030 | PLATE – 2.5 Pound (American Barbell Rubber Olympic Plates Model: OPAB4-10-PR or Approved Equal) | 12 | EACH | \$ | \$ |
| 0031 | STORAGE TREE (American Barbell Olympic Plate Tree Model: ST-OPT-B or Approved Equal) | 1 | EACH | \$ | \$ |
| 0032 | DUMBBELL STORAGE RACK (American Barbell Beauty Bell Storage Rack Model: ST- DBB-B or Approved Equal) | 1 | EACH | \$ | \$ |
| 0033 | SHIPPING | 1 | EACH | \$ | \$ |
| | | • | | TOTAL | \$ |

11

SPECIFICATIONS Page 1 of 32

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| Item | INCLINE TRAINER | Med Specifi | | DEVIATION |
|-------------|---|----------------|----|-----------------|
| No. 0001 | (Freemotion i22.9 Model: TMTK74819 or Approved Equal) | Yes | No | (if applicable) |



- Display Type: 22 in (55 cm) HD Capacitive Touchscreen Built-in TV Tuner
- Workouts: Thousands of Coach-Led, Unlimited with Google Maps
- Featured Languages: EN, also DE, ES, FR, IT, PT, RU, ZH
- Entertainment: HDMI, MPEG-2, MPEG-4 US & Canada: H.264 (AVC) International: H.265 (HEVC)
- Audio Connections: Bluetooth, 3.5 mm headphone jack
- Connectivity: Ethernet or Wifi minimum: 10 Mbps per unit (Dedicated Ethernet recommended)
- Elevation System: -3% decline to +30% incline
- Speed Range: 0-15 mph (0-24 km/h)
- Drive Motor: AC 5.0 CHP Commercial
- Deck: 1 in (2.5 cm) Double-Sided, Cushioned Deck
- Running Surface/Belt: Double Layered Quiet Belt 21.5 x 60 in (54.6 x 152 cm)
- Fan: Adjustable, 3-Speed, 8-in (20.3 cm) CrossFlow™ Fan
- Heart Rate Monitoring: EKG Pulse Sensors, ANT+ and Polar Compatible
- Accessories: Holder(s) Phone/Accessories Tray, Bottle Holder
- Step-Up Height: 15.5 in (39.4 cm)
- Maximum User Weight: 400 lbs (181 kg)
- Product Weight: 750 lbs (340.2 kg)
- Product Dimensions: (L x W x H) 82 x 34.8 x 75.3 in (208.3 x 88.3 x 191.3 cm)
- Shipping Weight: 780 lbs (353.8 kg)
- Shipping Dimensions: (L x W x H) 85 x 43 x 33.7 in (215.9 x 109.2 x 85.5 cm)
- Certifications: cTUVus, FCC/IC, BQB20-1/2"W x 27-1/8"D x 54"H
- Warranties: Frame (7 years); Parts & Console (2 years); Labor (3 years); Cosmetic/Wear Items (6 months)

| State | Brand | and M | odel B | id: | | |
|-------|-------|-------|--------|-----|--|--|
| | | | | | | |
| | | | | | | |

Page 2 of 32

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| Item | ELLIPTICAL TRAINER | Med Specifi | | DEVIATION |
|-------------|--|----------------|----|-----------------|
| No. 0002 | (Freemotion e10.9b Model: FMEL84418 or Approved Equal) | Yes | No | (if applicable) |



- Stride Length: 20 in (50.8 cm)
- Drive System: Quiet Belt Drive System, Space-efficient rear drive Resistance Levels 24
- Transport Wheels: 3.3 in (8.38 cm) plastic wheels
- Console Languages: EN, ES, FR, IT, NL, PT, CM
- CSAFE Enabled
- Maximum User Weight: 400 lbs (182 kg)
- Step-up Height: 9.5 in (24.1 cm)
- Pedals: Non-skid, traction control cushioned pedals
- Equipment Dimensions: (L x W x H) 85 x 23 x 63 in (215.9 x 58.4 x 160 cm)
- Machine Weight: 265.8 lbs (120.6 kg)
- Shipping Dimensions: (L x W x H) 91.3 x 26.1 x 33 in (232 x 66.4 x 84 cm)
- Shipping Weight: 310 lbs (140.6 kg)
- Power Requirements: Input: 110~240V Output: 15V 3A
- Regulatory Approvals: FCC, TUV, C/US, CPass-Thru, triple slant shelf

13

 Warranty: Frame (7 years); Parts-Mechanical (2 years); Parts-Electric, Console and labor (1 year)

| State | Brand | and | Model | Bid: | | |
|-------|-------|-----|-------|------|--|--|
| | | | | | | |
| | | | | | | |

Page 3 of 32

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| Item | RECUMBENT BIKE | Med Specifi | | DEVIATION |
|-------------|--|----------------|----|-----------------|
| No. 0003 | (Freemotion r10.9b Model: FMEX82518 or Approved Equal) | Yes | No | (if applicable) |



- Resistance System Hybrid Generator Resistance System
- Crank 3-Piece Crank
- Transport Wheels 2 in / 5 cm transport wheels
- Display Type LED display
- Resistance Levels 1-40 levels
- Electronic Readouts Speed, level, RPM, distance, calories, time, heart rate, WATT
- CSAFE Compatible
- Maximum User Weight 400 lbs / 182 kg Machine Weight 88.2 lbs / 40 kg
- Equipment Dimensions (L x W x H) 70.8 x 24.5 x 50.8 in 180 x 62.2 x 129 cm
- Equipment Weight 198 lbs / 89.8 kg
- Shipping Dimensions (L x W x H) 57.6 x 25.9 x 33.2 in 146.5 x 65.9 x 33.2 cm
- Shipping Weight 198 lbs / 89.8 kg
- Power Requirements 110 VAC, 240 VAC
- Regulatory Approvals FCC, TUV, C/US, C-Tic
- Warranty: Frame and Drive Motor (7 years); Parts (2 years); Labor (1 year)

| State | Brand | and | Model | Bid: | | |
|-------|-------|-----|-------|------|--|--|
| | | | | | | |
| | | | | | | |

Page 4 of 32

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| Item EXERCISE BIKE | Med Specifi | | DEVIATION |
|---|----------------|----|-----------------|
| No. (American Barbell Eagle Bike Model: EAB800 or Approved Equal) | Yes | No | (if applicable) |



- Heavy-duty steel frame
- Belt driven fan
- Ergonomic "flat-rest" pedals
- Heat-treated pedals and crank shafts
- Oilite Bushings used in pivots for smooth, quiet movement
- Color/Finish: Black/Gray/Silver (mixed)
- Height: 58.41 (top of handles to floor)
- Length: 59" (seat extended furthest point to the rear)
- Weight: 156 LBS; 330LB weight limit
- Footprint: 35" x 29.61"
- Handle diameter: 1.5" diameter Handles with Rubber Grip
- Quick-action handle for easy saddle adjustment
- Hardware & tools Included
- Warranty: 2 year excluding labor

State Brand and Model Bid:

Page 5 of 32

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| Item | ROWER | Med Specifi | | DEVIATION |
|-------------|---|----------------|----|-----------------|
| No. 0005 | (Concept 2 Rower Model: 2712 or Approved Equal) | Yes | No | (if applicable) |



- Resistance System Hybrid Generator Resistance System
- Width: 24 in (61 cm)
- Machine Weight: With standard legs: 57 lb (26 kg); with tall legs: 68 lb (31 kg)
- Monitor: PM5

State Brand and Model Bid:

- Overall Length: 95 in (244 cm)
- Seat Height: With standard legs: 14 in (36 cm) from floor; will tall legs 20 in (51 cm) from floor
- Monorail Length: 54 in (137 cm)
- Chain/Cord: Nickel-plated steel
- Shipping Dimensions: With standard legs: One box: 15 in x 21.5 in x 56 in (38 cm x 55 cm x 142 cm)With tall legs: Two boxes: 15 in x 21.5 in x 56 in (38 cm x 55 cm x 142 cm) 12.5 in x 21.5 in x 27 in (32cm x 55cm x 68cm)
- Maximum User Weight: 500 lbs / 227 kg as tested by Concept2. 300 lbs / 135 kg as tested per European Stationary Fitness Equipment Testing Standard EN 20957-7

16

| Olulo | Diana | alla | Model | Dia. | | |
|-------|-------|------|-------|------|--|--|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Page 6 of 32

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| | DUAL CABLE CROSS MACHINE | Med Specifi | | DEVIATION |
|---|--|----------------|----|-----------------|
| 1 | (Dual Cable Cross Machine Model: Genesis G624 or Approved Equal) | Yes | No | (if applicable) |



- Dual Weight Stacks Each Stack: 240 lbs / 108.8 kg
- Effective Resistance 3:1 cable ratio with 3.3 lbs / 1.4 kg per plate, 80 lbs / 36 kg per stack
- Cable Travel Each Side: 97 in / 246.3 cm
- Rubber Feet Molded floor protectors
- Standard Frame Colors Platinum Sparkle, Red Baron, Black River, Flat Black, White River
- Optional Frame Colors On Request
- Product Dimensions No Arms Extended (L x W x H) 40 x 63 x 74 in 177.8 x 160 x 188 cm
- Product Dimensions Max Arm Extension (L x W x H) 70 x 122 x 92 in 177.8 x 309.8 x 233.6 cm
- Product Weight 1,246 lbs / 565.17 kg
- Wheelchair Accessible Yes
- Regulatory Approval EN957, CE
- Warranties: Frame (10 years); Parts (3 years); Cables and Labor (1 year); Cosmetic & Wear Items (6 months); Upholstery & Padding (120 days)

State Brand and Model Bid:

Page 7 of 32

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| Item | CABLE COLUMN MACHINE | Med Specifi | | DEVIATION |
|-------------|---|----------------|----|-----------------|
| No. 0007 | (Cable Column Model: Genesis GZFM6016 or Approved Equal) | Yes | No | (if applicable) |
| | Weight Stack 200 lbs (90.7 kg) | | | |
| • | Weight Stack Configuration 10 - 200 x 10 lbs (4.5 - 90.7 x 4.5 kg) Effective Resistance 50 lbs Cable Travel 96 in (243.8 cm) | | | |
| • | Rubber Feet Molded floor protectors Wheelchair Accessible Yes Standard Frame Colors Platinum Sparkle | | | |
| • | Product Dimensions (L x W x H) 35 x 43 x 91 in (89 x 109 x 231 cm) Product Weight 430 lbs (195 kg) Warranty: Frame (10 years); Bearings, Guide Rods, Pulleys and Weight Stacks (3 years); Cable and Labor (1 year) Handles and Accessories (120 days) | | | |
| State I | Brand and Model Bid: | | | |
| | | | | |

18

Page 8 of 32

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| | Item | CHEST PRESS MACHINE | Med Specifi | | DEVIATION |
|---|-------------|---|----------------|----|-----------------|
| | No. 0008 | (Freemotion Epic Selectorized Chest Press Model: ES800 or Approved Equal) | Yes | No | (if applicable) |
| ı | | | | | |



- Weight Stack 295 lbs (133.8 kg)
- Resistance 295 lbs (133.8 kg)
- Drop Down Weight 5 lbs (2.2kg)
- Weight Stack Configuration 0-10 x 10 lbs (4.5 kg) 10-80 x 10 lbs (4.5 kg) 90-290 x 20 lbs (9 kg)
- Standard Frame Platinum Sparkle, Black River
- Plastic Color Black
- Upholstery Color Black
- Product Dimensions (LxWxH) 61.7 x 42 x 72 in (156.7 x 106.6 x 182.8 cm)
- Product Weight 617.2 lbs (280 kg)
- Shipping Dimensions (LxWxH) Box 1: 42.1 x 30.3 x 76.7 (106.9 x 76.9 x 194.8 cm) Box 2: (38.5 x 14.1 x 4.3 (97.7 x 35.8 x 10.9 cm)
- Shipping Weight Box 1: 756 lbs (342.9 kg) Box 2: 22 lbs (9.9 kg)
- Regulatory Approval CE

State Brand and Model Bid:

 Warranty: Frame (10 years); Parts (3 years); Cables and Labor (120 days)

Page 9 of 32

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| Item LEG EXTENSION MACHINE | Me Specifi | | DEVIATION |
|---|---------------|----|-----------------|
| No. (Freemotion Epic Leg Extension Machine Model: ES801 or O009 Approved Equal) | Yes | No | (if applicable) |



- Weight Stack 285 lbs (129.2 kg)
- Resistance 285 lbs (129.2 kg)
- Drop Down Weight 5 lbs (2.2kg)
- Weight Stack Configuration 0-10 x 10 lbs (4.5 kg) 20-70 x 10 lbs (4.5 kg) 80-280 x 20 lbs (9 kg)
- Standard Frame Platinum Sparkle, Black River
- Plastic Color Black
- Upholstery Color Black
- Product Dimensions (LxWxH) 51.3 x 54 x 57.8 in (130.3 x 137.1 x 146.8 cm)
- Product Weight 573.2 lbs (260 kg)
- Shipping Dimensions (LxWxH) Box 1: 74.4 x 30.3 x 42.1 (188.9 x 76.9 x 106.9 cm) Box 2: 28.3 x 25.2 x 5.9 (71.8 x 64 x 14.9 cm)
- Shipping Weight Box 1: 712.1 lbs (322.9 kg) Box 2: 25.3 lbs (11.4 kg)
- Regulatory Approval CE
- Warranty: Frame (10 years); Parts (3 years); Cables and Labor (120 days)

| State | Brand | and | Model | Bid: | |
|-------|-------|-----|-------|------|--|
| | | | | | |

SPECIFICATIONS Page 10 of 32

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| Item | | Med Specifi | | DEVIATION |
|-------------|---|----------------|----|-----------------|
| No. 0010 | (Freemotion Epic Selectorized Lat Pulldown / High Row Machine Model: ES802 or Approved Equal) | Yes | No | (if applicable) |



- Weight Stack 305 lbs (138.3 kg)
- Resistance 305 lbs (138.3 kg)
- Drop Down Weight 5 lbs (2.2kg)
- Weight Stack Configuration 10-80 x 10 lbs (4.5 kg) 90-300 x 20 lbs (9 kg)
- Standard Frame Platinum Sparkle, Black River
- Plastic Color Black Upholstery Color Black
- Product Dimensions (LxWxH) 51.8 x 66.5 x 76.8 in (131.5 x 168.9 x 195 cm)
- Product Weight 661.3 lbs (300 kg)
- Shipping Dimensions (LxWxH) Box 1: 78.7 x 30.3 x 57.4 in (199.8 x 76.9 x 145.7 cm) Box 2: 31.8 x 11.4 x 4.7 in (80.7 x 28.9 x 11.9 cm)
- Shipping Weight Box 1: 820 lbs (371.9 kg) Box 2: 22 lbs (9.9 kg)
- Regulatory Approval CE
- Warranty: Frame (10 years); Parts (3 years); Cables and Labor (120 days)

21

State Brand and Model Bid:

SPECIFICATIONS Page 11 of 32

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| Item | LEG PRESS MACHINE | Med Specifi | | DEVIATION |
|-------------|---|----------------|----|-----------------|
| No. 0011 | (Freemotion Epic Selectorized Leg Press Machine Model: ES804 or Approved Equal) | Yes | No | (if applicable) |



- Weight Stack 475 lbs (215.4 kg)
- Resistance 475 lbs (215.4 kg)
- Drop Down Weight 5 lbs (2.2kg)
- Weight Stack Configuration 10 lbs Header (4.5 kg) 20-470 x 20 lbs (9 kg)
- Standard Frame Platinum Sparkle, Black River
- Plastic Color Black Upholstery Color Black
- Product Dimensions (LxWxH) 90.6 x 44.1 x 72.8 in (230.1 x 112 x 184.9 cm)
- Product Weight 1,146.4 lbs (520 kg)
- Shipping Dimensions (LxWxH) Box 1: 88.1 x 35 x 82.6 in (233.7 x 88.9 x 209 cm) Box 2: 41.7 x 13 x 3.9 in (105.9 x 33 x 9.9 cm)
- Shipping Weight Box 1: 1,252.2 lbs (567.8 kg) Box 2: 17.6 lbs (7.9 kg)
- Regulatory Approval CE
- Warranty: Frame (10 years); Parts (3 years); Cables and Labor (120 days)

State Brand and Model Bid:

SPECIFICATIONS Page 12 of 32

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| Item | DIP-CHIN ASSIST MACHINE | Med Specifi | | DEVIATION |
|------|---|----------------|----|-----------------|
| | (Freemotion Epic Selectorized Dip-Chin Assist Machine Model: ES812 or Approved Equal) | Yes | No | (if applicable) |
| | | | | |



- Weight Stack 225 lbs (115.6 kg)
- Resistance 225 lbs (115.6 kg) Drop Down Weight 5 lbs (2.2 kg)
- Weight Stack Configuration 10 lbs header (4.5 kg) 20-170 x 10 lbs (4.5 kg) 180-220 x 20 lbs (9 kg)
- Standard Frame Platinum Sparkle, Black River
- Plastic Color Black
- Upholstery Color Black
- Product Dimensions (LxWxH) 48.3 x 62.1 x 99.6 in (122.6 x 157.7 x 252.9 cm)
- Product Weight 749.5 lbs (340 kg)
- Shipping Dimensions (LxWxH) 101 x 30.3 x 48 in (256.5 x 76.9 x 121.9 cm)
- Shipping Weight 902.5 lbs (409.3 kg)
- Regulatory Approval CE
- Warranty: Frame (10 years); Parts (3 years); Cables and Labor (120 days)

State Brand and Model Bid:

Page 13 of 32

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| LEG CURL MACHINE | Med Specifi | | DEVIATION |
|--|----------------|----|-----------------|
| (Freemotion Epic Selectorized Leg Curl Machine Model: ES803 or Approved Equal) | Yes | No | (if applicable) |



- Weight Stack 205 lbs (92.9 kg)
- Resistance 205 lbs (92.9 kg)
- Drop Down Weight 5 lbs (2.2kg)
- Weight Stack Configuration 10 lbs Header (4.5 kg) 20-150 x 10 lbs (4.5 kg) 160-200 x 20 lbs (9 kg)
- Standard Frame Platinum Sparkle, Black River
- Plastic Color Black
- Upholstery Color Black
- Product Dimensions (LxWxH) 48.9 x 59 x 57.8 in (124.2 x 149.8 x 146.8 cm)
- Product Weight 560 lbs (254.3 kg)
- Shipping Dimensions (LxWxH) Box 1: 74.4 x 30.3 x 42.1 in (188.9 x 76.9 x 106.9 cm) Box 2: 29.9 x 27.9 x 5.9 in (75.9 x 70.8 x 14.9 cm)
- Shipping Weight Box 1: 635 lbs (288 kg) Box 2: 26.5 lbs (12 kg)
- Regulatory Approval CE
- Warranty: Frame (10 years); Parts (3 years); Cables and Labor (1 year); Others (120 days)

State Brand and Model Bid:

SPECIFICATIONS Page 14 of 32

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| - | tem | WEIGHT BENCH | Med Specifi | | DEVIATION |
|---|-----|--|----------------|----|-----------------|
| | | (Freemotion Adjustable Weight Bench Model: F203 or Approved Equal) | Yes | No | (if applicable) |



- Adjustments Backrest tilts 5 to 80-degrees / Seat tilts to a 30degree incline
- Max User Weight 350 lbs (159 kg)
- Max Total Weight 795 lbs (360.6 kg)
- Workout Area 11.28 ft² (1.05 m²)
- Standard Frame Platinum Sparkle (Black River)
- Upholstery Colors Black, Graphite, Blue Ridge, Burgundy, American Beauty Red, Grand Sierra Wheat
- Product Dimensions (LxWxH) 58 x 28 x 51 in (147.3 x 71.1 x 129.5 cm)
- Shipping Dimensions (LxWxH) Box 1: 59.3 x 30.5 x 15.2 in (150.6 x 77.4 x 38.6 cm) Box 2: 53.7 x 12.7 x 3.3 in (136.3 x 32.2 x 8.3 cm)
- Machine Weight 68.5 lbs (31.1 kg)
- Shipping Weight Box 1: 90 lbs (4
- 0.8 kg) Box 2: 20 lbs (9 kg)
- Regulatory Approval EN957, CEWarranty: Frame (10 years);
 Bearings and Pulleys (3 years); Cables and Labor (1 year);
 Upholstery, Handles and Accessories (120 days)

State Brand and Model Bid:

SPECIFICATIONS Page 15 of 32

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| | ormation should be enclosed with the bid to in order to appatibility and compliance with the specifications. | determin | e quali | ty, suitability, |
|-------------|--|---------------|---------|------------------|
| Item | DUMBBELL RACK | Me Specifi | | DEVIATION |
| No. 0015 | (Freemotion Epic Free Weight Twin Tier Dumbbell Rack Model: F209 or Approved Equal) | Yes | No | (if applicable) |
| | | | | |
| • | Workout Area 18.96 ft ² (1.76 m ²) Standard Frame Platinum Sparkle (Black) | | | |
| • | Product Dimensions (LxWxH) 30 x 91 x 31 in (76.2 x 231.1 x 78.7 cm) | | | |
| • | Shipping Dimensions (LxWxH) 92.5 x 32.8 x 9.4 in (234.9 x 83.3 x 23.8 cm) | | | |

Product Weight 205.4 lbs (93.2 kg)Shipping Weight 280 lbs (127 kg)

 Warranty: Frame (10 years); Bearing and Pulleys (3 years); Cables and Labor (1 year); Upholstery, Handles, and Accessories (120 days)

State Brand and Model Bid:

SPECIFICATIONS Page 16 of 32

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| Item | ABDOMINAL BENCH | Med Specifi | | DEVIATION |
|------|--|----------------|----|-----------------|
| | (Freemotion Epic Free Abdominal Bench Model: F213 or Approved Equal) | Yes | No | (if applicable) |



- Adjustments Leg pads to fit many users Backrest 6 settings
- Upholstery Stretched/Sewn vinyl 1.5 in (3.8 cm) thick high density foam
- Max User Weight 350 lbs (159 kg)
- Workout Area 13.93 ft² (1.29 m²)
- Standard Frame Platinum Sparkle (Black River)
- Upholstery Colors Black, Graphite, Blue Ridge, Burgundy, American Beauty Red, Grand Sierra Wheat
- Product Dimensions (LxWxH) 59 x 34 x 41 in (149.8 x 86.3 x 104.1 cm)
- Shipping Dimensions (LxWxH) Box 1: 49.6 x 35.4 x 25.7 in (125.9 x 89.9 x 65.2 cm) Box 2: 19 x 6.3 x 25.7 in (48.2 x 16 x 127 cm)
- Shipping Weight Box 1: 109 lbs (49.4 kg) Box 2: 40 lbs (18.1 kg)
- Regulatory Approval EN957, CE
- Warranty: Frame (10 years); Bearing and Pulleys (3 years); Cables and Labor (1 year); Upholstery, Handles, and Accessories (120 days)

State Brand and Model Bid:

SPECIFICATIONS Page 17 of 32

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| Item | RIG SUPPORT | Med Specifi | | DEVIATION |
|-------------|--|----------------|----|-----------------|
| No. 0017 | (Freemotion 14-foot Standard Rig Support Model: FMDY14W6D or Approved Equal) | Yes | No | (if applicable) |



- Supports 10-12 people simultaneously
- Frame Colors: Black River / Flat Black / White River / Platinum Sparkle / Red Barron
- Workout Area: 16 x 25 ft (4.8 x 7.6 m)
- Frame and Finish: 11-Gauge 3 x 3 in (7.6 x 7.6m) Tubular Steel
- Frame Contents:

Four (4) Single Bars 4 ft (1.2 m)

Two (2) Single Bars 6 ft (1.8 m)

Four (4) Double Bars 6 ft (1.8 m)

Eight Uprights 9 ft (2.7 m)

Eight Hex Anchor Bolt Kits (4 each)

- Product Dimensions and Weight: (LxWxH): 78 x 170 x 112 in (198.1 x 431.8 x 284.5 cm)
- Warranty: Structural Steel Frame (Lifetime); Wear Guards/UHMW 5 years); Rubber and Plastic (5 years); Finish (5 years); Fitness Products (1 year); Pads, Grips, Components (1 year); Accessory Products (90 days)

State Brand and Model Bid:

SPECIFICATIONS Page 18 of 32

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| con | npatibility and compliance with the specifications. | Med | ets | |
|-----------------------|--|---------|-----|-----------------|
| Item No. | STEP TRAINING EQUIPMENT | Specifi | | DEVIATION |
| 0018 | (American Barbell Plyo Stackable Rectangular Box Set or Approved Equal) | Yes | No | (if applicable) |
| | 12 _{in} PLYO BOX 18 _{in} PLYO BOX PLYO BOX | | | |
| • • • • • | Rectangular, anti-slip design Lightweight Built with high-density foam Stackable Heights: 6", 12", 18", 24" Brand and Model Bid: | | | |
| | | | | |

SPECIFICATIONS Page 19 of 32

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| Item No. 0019 | TRAINING BAR (American Barbell 20 kg Training Bar Model: OB15-CH-IWF or Approved Equal) | Med Specifi Yes | DEVIATION (if applicable) |
|---------------------|--|-----------------------|------------------------------|
| State B | Made from precision ground alloy steel with a hard chrome plating 190,000 PSI tensile strength Bar sleeves are precision welded Each sleeve coated with hard chrome Sleeves rotate around high strength composite bushings Warranty: Limited Lifetime trand and Model Bid: | | |

SPECIFICATIONS Page 20 of 32

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| Item No. 0020 | CURL BAR (American Barbell Revolving Solid Curl Bar Model: AT-RCB-E or Approved Equal) | Meets Specification Yes No | | DEVIATION (if applicable) |
|---------------------|--|----------------------------------|--|------------------------------|
| • | Constructed of chrome-plated solid steel Slight angling on the bar allows for ideal ergonomic hand positioning, reducing wrist strain, and forearm involvemen Wide grip length: 23.5" Precision knurling on both the inner and outer angles of the bar Multi-axis revolving swivel design Heavy-duty eye-bolt fastener Includes safety black end caps Grip diameter: 1.00" Grip length: 23.5" Brand and Model Bid: | | | |

SPECIFICATIONS Page 21 of 32

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| Item | CURL BAR | Me Specifi | | DEVIATION |
|-------------|---|---------------|----|-----------------|
| No. 0021 | (American Barbell Stainless EZ Curl Gym Bar Model: OBZ-SS or Approved Equal) | Yes | No | (if applicable) |
| | | | | |
| State I | Made of high-grade stainless steel Minimum tensile strength of 110K PSAI Length: 5' Weight: 31 lbs Haft Material: Stainless Steel Loadable Sleeve Length: 10.25" Shaft Diameter: 28.5 mm Distance Between Collars: 36.75" | | | |
| | | | | |

SPECIFICATIONS Page 22 of 32

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| Item COLLARS | | ets ication | DEVIATION (if applicable) |
|--|-----|----------------|------------------------------|
| No. (American Barbell Proloc Collar or Approved Equal) | Yes | No | |
| OWERICANO) RECOMMENDATION OFFICE OF THE PROPERTY OF THE PROP | | | |
| Made of high-strength, ultra-durable nylon Fits Olympic bars with a diameter of 1.937" to 2.007" | | | |
| Can be quickly tightened and loosed with easy twist knobs | | | |
| Integrates powerful internal magnets for storage on steel racksSold in pairs | | | |
| Two-year Warranty | | | |
| State Brand and Model Bid: | | | |
| | | | |
| | | | |
| | | | |
| | | | |

SPECIFICATIONS Page 23 of 32

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| | rmation should be enclosed with the bid to in order to capatibility and compliance with the specifications. | letermin | e quali | ty, suitability, |
|-------------|--|------------------------|---------|------------------|
| Item | SLAM BALL SET | Meets Specification | | DEVIATION |
| No. 0023 | (American Barbell Plyo Stackable Rectangular Box Set or Approved Equal) | Yes | No | (if applicable) |
| • | Filled with sand Tire-track shell Rubberized exterior shell Odor-free Weight label in bold white at its center Weights: 10 lbs, 15 lbs, 20 lbs, 25 lbs, 30 lbs, 40 lbs | | | |

State Brand and Model Bid:

SPECIFICATIONS Page 24 of 32

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| Item No. | DUMBELLS SET (American Barbell Hex Dumbbell Model: DBHX2-5-PR or | Me Specifi | | DEVIATION | |
|-------------|---|---------------|----|-----------------|--|
| 0024 | Approved Equal) | Yes | No | (if applicable) | |
| State I | Hex Shaped, Rubber Coated Ergonomic design Chrome handle bar Low odor rubber Hand grip diameter: 31 mm Weights: 10, 15, 20, 25, 30 pound weights Brand and Model Bid: | | | | |

Page 25 of 32

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| Item No. 0025 | KETTLEBELL SET (American Barbell Rubber Coated Kettlebell or Approved Equal) | Med Specifi Yes | DEVIATION (if applicable) |
|---------------------|--|-----------------------|------------------------------|
| | 8888 | | |
| • | Rubber coated cast iron Smooth chrome handle with ergonomic grip Hex Shaped, Rubber Coated Set contains 10, 15, 20, 25 (not pictured), 30 and 35 pound kettleballs | | |
| State I | Brand and Model Bid: | | |
| | | | |
| | | | |
| | | | |
| | | | |

SPECIFICATIONS Page 26 of 32

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| Item | PLATE - 45 Pound (American Parkell Bubber Olympia Blates Model: OBAR4 10 | Meets Specification | | DEVIATION |
|-------------|---|------------------------|----|-----------------|
| No. 0026 | (American Barbell Rubber Olympic Plates Model: OPAB4-10-PR or Approved Equal) | Yes | No | (if applicable) |
| | ALS O ALS | | | |
| • | 45 pound Four-hole grip Solid cast iron core with rubber cover Stainless steel hub Slip-resistant / grip friendly Embossed weight in pounds Diameter: 17.00" Width: 1.64" Warranty: 3 years | | | |
| State E | Brand and Model Bid: | | | |
| | | | | |
| | | | | |

SPECIFICATIONS Page 27 of 32

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| Item No. | | | ets cation | DEVIATION | |
|-------------|--|-----|---------------|-----------------|--|
| 0027 | PR or Approved Equal) | Yes | No | (if applicable) | |
| | CANCELLY OF THE PARTY OF THE PA | | | | |
| • | 25 pound Four-hole grip Solid cast iron core with rubber cover Stainless steel hub Slip-resistant / grip friendly Embossed weight in pounds Diameter: 12.25" | | | | |
| • | Width: 1.75" Warranty: 3 years | | | | |
| State E | Brand and Model Bid: | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

SPECIFICATIONS Page 28 of 32

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| Item No. | PLATE – 10 Pound (American Barbell Rubber Olympic Plates Model: OPAB4-10- | | ets cation | DEVIATION |
|-------------|--|-----|---------------|-----------------|
| 0028 | PR or Approved Equal) | Yes | No | (if applicable) |
| | Selective of the selection of the select | | | |
| • | 10 pound Four-hole grip Solid cast iron core with rubber cover Stainless steel hub Slip-resistant / grip friendly Embossed weight in pounds Diameter: 9.625" Width: 1.47" Warranty: 3 years | | | |
| State E | Brand and Model Bid: | | | |
| | | | | |
| | | | | |
| | | | | |

SPECIFICATIONS Page 29 of 32

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| Item No. | PLATE – 5 Pound (American Barbell Rubber Olympic Plates Model: OPAB4-10- | | ets cation | DEVIATION | |
|-------------|--|-----|---------------|-----------------|--|
| 0029 | PR or Approved Equal) | Yes | No | (if applicable) | |
| | E CALLET ALL STATES OF THE STA | | | | |
| • | 5 pound Four-hole grip Solid cast iron core with rubber cover Stainless steel hub Slip-resistant / grip friendly Embossed weight in pounds Diameter: 9.625" Width: 1.47" Warranty: 3 years | | | | |
| State E | Brand and Model Bid: | | | | |
| | | | | | |
| | | | | | |

40

SPECIFICATIONS Page 30 of 32

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| Item | PLATE – 2.5 Pound | | ets cation | DEVIATION | |
|-------------|---|-----|---------------|-----------------|--|
| No. 0030 | (American Barbell Rubber Olympic Plates Model: OPAB4-10-PR or Approved Equal) | Yes | No | (if applicable) | |
| | E.IS CHIEFELLY | | | | |
| • | 2.5 pound Four-hole grip Solid cast iron core with rubber cover Stainless steel hub Slip-resistant / grip friendly Embossed weight in pounds Diameter: 6.25" Width: 0.95" Warranty: 3 years | | | | |
| State I | Brand and Model Bid: | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

41

Page 31 of 32

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| | ipationity and compliance with the specifications. | | | |
|----------------------|---|-----|---------------|-----------------|
| Item No. | | | ets cation | DEVIATION |
| 0031 Approved Equal) | | Yes | No | (if applicable) |
| | | | | |
| • | Heavy-duty metal construction Compact design 6 plate storage posts (three on one frame arm; two on the other; on | | | |
| • | top of frame) Storage posts are silver chrome with rubber stoppers at their base 2 bar holders Baked matted powder finish | | | |
| State I | Brand and Model Bid: | | | |
| | | | | |
| | | | | |

Page 32 of 32

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

| Vertical design rack Allows up to 8 pairs of dumbbells Includes dumbbells; Weights: 3 lbs, 5 lbs, 8 lbs, 10 lbs, 12 lbs, 15 lbs, 17.5 lbs, and 20 lbs Measurements: Length: 20", Width: 25", Height: 52" Gloss black paint finish Hook style posts for each dumbbell 11-gauge steel framing State Brand and Model Bid: | Item No. 0032 | DUMBBELL STORAGE RACK (American Barbell Beauty Bell Storage Rack Model: ST- DBB-B or Approved Equal) | Me Specifi Yes | DEVIATION (if applicable) |
|---|---------------------|--|----------------------|------------------------------|
| | • | Allows up to 8 pairs of dumbbells Includes dumbbells; Weights: 3 lbs, 5 lbs, 8 lbs, 10 lbs, 12 lbs, 15 lbs, 17.5 lbs, and 20 lbs Measurements: Length: 20", Width: 25", Height: 52" Gloss black paint finish Hook style posts for each dumbbell 11-gauge steel framing | | |

BIDDER'S ORGANIZATION BIDDER IS:

| AN INDIVIDUAL Individual's Name: | |
|---|---|
| | |
| Address: | |
| Telephone No.: | |
| A PARTNERSHIP Firm Name: | |
| | |
| Name of person authorized to sign: | |
| Title: | |
| Telephone No.: | Fax No.: |
| A LIMITED LIABILITY COMPANY Company Name: | |
| Address: | |
| | |
| Title: | |
| Telephone No.: | |
| A CORPORATION | |
| IF BID IS BY A CORPORATION, THE CORPORATE | E RESOLUTION SHOULD BE SUBMITTED WITH BID |
| Corporation Name: | |
| Address: | |
| State of Incorporation: | |
| Name of person authorized to sign: | |
| Title: | |
| Telephone No.: | |

IF BID IS BY A JOINT VENTURE, ALL PARTIES TO THE BID SHOULD COMPLETE THIS FORM

CORPORATE RESOLUTION

| A meeting of the Board of Directors of_ | | | | | | a cor | pora | tion |
|---|-----------------|---------|-------------|-------|------|-------------|-------|------|
| organized under the laws of the State of | : | | and | | don | niciled | | in |
| was held thisday of | , 20and | was | attended | by | а | quorum | of | the |
| members of the Board of Directors. | | | | | | | | |
| The following resolution was offered, of | luly seconde | d and | after disc | ussic | n v | vas unar | nimo | usly |
| adopted by said quorum: | | | | | | | | |
| BE IT RESOLVED, that | | | is | he | reb | y authoi | rized | to |
| submit proposals and execute agreeme | nts on behalf | of thi | s corporati | on w | /ith | the City of | of Ba | aton |
| Rouge, and Parish of East Baton Rouge |) . | | | | | | | |
| BE IT FURTHER RESOLVED, that sa | aid authorizat | ion ar | nd appointi | ment | t sh | all remai | in in | full |
| force and effect, unless revoked by | resolution of | this | Board of | Dire | ctor | s and th | nat : | said |
| revocation will not take effect until the P | urchasing Di | rector | of the Pari | sh o | f Ea | ast Baton | Rou | ıge, |
| shall have been furnished a copy of said | d resolution, o | duly ce | ertified. | | | | | |
| I,, hereby | certify that I | am the | e Secretary | of | | | | , |
| a corporation created under the laws | | | | | | | | |
| • | | | | | | | | |
| that the foregoing is a true and exact co | opy of a reso | lution | adopted b | yac | noup | rum of th | е Во | ard |
| of Directors of said corporation at a mee | eting legally c | alled a | and held or | the | | da | У | of |
| , 20, as said resolution appears of | | | | | | | | |
| in my possession. | | | | | | | | |
| | This | day of | | , | 20_ | <u></u> . | | |
| | | SEC | CRETARY | | | | | |
| | | J_(| ノハト・ハハ・ | | | | | |